AD)	

Award Number: DAMD17-01-1-0669

TITLE: Assessing the Association of Epstein-Barr Virus with

Breast Carcinoma

PRINCIPAL INVESTIGATOR: Bill Sugden, Ph.D.

CONTRACTING ORGANIZATION: University of Wisconsin-Madison

Madison, Wisconsin 53706-1490

REPORT DATE: June 2002

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20021114 229

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching and data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of

Wanagement and bodget, Paperwork Reduction P		T				
1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TYPE AND June 2002 Final (1 Jun 0						
4. TITLE AND SUBTITLE	Tourie 2002	Final (1 Jun 0	5. FUNDING			
Assessing the Asso	ciation of Epstein-	Barr Virus	DAMD17-01-1-0669			
with Breast Carcino						
6. AUTHOR(S)	· · · · · · · · · · · · · · · · · · ·					
Bill Sugden, Ph.D.						
7. PERFORMING ORGANIZATION N	IAME(C) AND ADDDECC(EC)		0 DEDEC DAME	10.000.00		
7. FERFORMING ORGANIZATION N	IAWE(3) AND ADDRESS[ES]		8. PERFORMING ORGANIZATION REPORT NUMBER			
University of Wisco	onsin-Madison					
Madison, Wisconsin						
E-Mail: sugden@oncology.w	visc.edu					
9. SPONSORING / MONITORING A	OCNION NAME OF AND ADDRESS OF	<u> </u>				
9. SPONSORING / MONITORING A	GENCY NAME(S) AND ADDRESS(E	5)		ING / MONITORING REPORT NUMBER		
U.S. Army Medical Research and	Materiel Command		AGENOT	ILI OITI WOMBER		
Fort Detrick, Maryland 21702-50						
11. SUPPLEMENTARY NOTES	· · · · · · · · · · · · · · · · · · ·					
11. SUPPLEMENTARY NOTES						
12a. DISTRIBUTION / AVAILABILIT				12b. DISTRIBUTION CODE		
Approved for Public Re	rease; Distribution Un.	limitea				
13. Abstract (Maximum 200 Words)	(abstract should contain no proprieta	ry or confidential information	7)			
	BV) contributes causally to sp			in people. A recent		
retrospective survey detected 1						
adjacent biopsies, and a viral p	protein, EBNA-1, in a fraction	of tumor cells in 9 of	9 EBV-positi	ve biopsies assaved		
immunohistochemically (Boni	net et al., J. Natl. Cancer Inst.	91: 1376-1381, 1999).	These data:	reveal a statistically		
meaningful association of EBV						
positive biopsies is either in th						
EBV's latent infection. To ass	ess this association we shall us	se fixed blocks of tissu	e for which	pairs of one normal		
adjacent tissue and one breast carcinoma are available. The percent of carcinoma cells present in fixed blocks will be						
estimated to be less than 1%, from 1% to 10%, or greater than 10%, and the amount of EBV present per cell in all samples						
determined by multiplex PCR and glass microarrays to measure EBV DNA from known levels of isolated sample DNAs.						
14 CUDIECT TERMS				4F MILLIAMS OF THE		
14. SUBJECT TERMS breast carcinoma, Epste		15. NUMBER OF PAGES				
Lieuse dal clinoma, lipse	<u> </u>	16. PRICE CODE				
47 OFOURITY OF A COLUMN	40 CECUPITY OF TOOLS OF	40.050101514.64.6555	0.17101:			
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFI OF ABSTRACT	CATION	20. LIMITATION OF ABSTRACT		
Unclassified	Unclassified	Unclassifi	ed	Unlimited		

Table of Contents

Cover	1
SF 298	2
Introduction	4
Body	4
Key Research Accomplishments	6
Reportable Outcomes	6
Conclusions	6
References	6
Appendices	6

Introduction

We want to test the possible association of Epstein-Barr Virus (EBV) with breast carcinomas. In our application we proposed to use quantitative competitive PCR to detect any EBV DNA present in fixed blocks of tissue from patients taken more than ten years ago. During this funding period we have recognized that we could screen fixed biopsies more generally if we could develop glass microarrays with multiple probes for EBV DNA and use them to detect the presence of EBV DNA in the fixed samples of breast carcinomas. We have succeeded in developing this approach.

Body

Making glass microarrays with EBV probes

In order to maximize the detection of EBV, 22 regions of its DNA have been amplified by PCR to yield products of 300-500 base pairs in length. These products were precipitated with isopropanol and resuspended in water for quantitation. The products were dried and resuspended in an equal volume of water and DMSO at a final concentration of 125 nanograms per microliter and transferred to a 384-well plate for printing. Flat-headed pins from the Total Array System slide printer (BioRobotics) were used to transfer approximately ten picoliters of DNA solution from each well to the glass slides. Glass slides were purchased from Corning and are coated with gamma amino propyl silane for a DNA-immobilizing surface. Printed slides were baked at 85 degrees Celsius for four hours to fix the DNA to the slides. A sample slide was treated with SYBR Green (Molecular Probes) at a ratio of 1:10,000 SYBR Green to 1X TBE and scanned in an Avalanche Array Scanner (Molecular Dynamics) in order to determine uniformity of DNA delivery to the slide.

Although the 22 regions of EBV DNA have all been tested as probes we now use only nine of them as targets (see Table 1). These targets are generated by multiplex PCR of DNAs isolated from either cell lines used as controls or from the fixed tumor samples.

Table 1: Primers for Multiplex PCR

Position in EBV genome	Gene	Length of Product
2010-2483	BNRF1	473bp
24955-25370	BWRF1	438bp
66717-67107	BPLF1	413bp
72748-73185	BOLF1	457bp
79180-79065	BaRF1	445bp
97246-97700	EBNA3b	476bp
145585-145998	BVRF1	437bp
149250-149648	BdRF1	420bp
159507-159848	BALF3	362bp

Sensitivity of detection of EBV DNA using glass microarrays

In order to determine the sensitivity of detecting EBV DNA with microarrays, we first examined our ability to detect EBV DNA in the EBV-positive Burkitt's lymphoma cell line, Raji. 100 nanograms of genomic DNA isolated from Raji cells was used as template in a multiplex PCR reaction containing the nine sets of EBV specific primers. These PCR reactions were purified via OIAGEN PCR Purification Kit and quantitated via a spectrophotometer. The purified PCR product was then used as template for labeling with Cy3-dUTP (Amersham Pharmacia Biotech). Approximately 250 nanograms of the amplified DNAs were combined with ten picomoles of each of the EBV specific primers used in the initial PCR reaction. The DNA was denatured and the primers allowed to anneal. To this mix dNTPs, buffer, Cy3-dUTP and Klenow polymerase were added and incubated at 37 degrees Celsius for three hours. The labeled product was then purified over a Sephadex G-50 column (Roche) and analyzed via spectrophotometry for the efficiency of Cy3-dUTP incorporation. We found that an incorporation efficiency of at least one labeled dye per 60 nucleotides is required for detection of the target DNA on the glass slides. Samples were then dried, resuspended in hybridization buffer, denatured and applied directly to the printed slide. A coverslip was placed on top of the sample and the slide was incubated in a water bath at 55 degrees Celsius overnight. Hybridized slides were then washed and scanned.

To determine the limit of detection of EBV DNA in this assay, genomic DNA from the EBV-positive Raji cells was diluted into genomic DNA from EBV-negative BJAB cells at various ratios. These diluted EBV samples were then used as templates in the multiplex PCR reaction. One-hundred nanograms of DNA from dilutions of 1:100, 1:1000 and 1:3000 Raji:BJAB genomic DNA were used as templates in multiplex reactions, labeled and hybridized to slides. Signals were detected for the 1:100 and 1:1000 dilutions but not the 1:3000 dilution. One hundred nanograms of 1:1000 Raji:BJAB cells is approximately fifteen EBV-positive cell equivalents within a total of 15,000 cells. These conditions provide the sensitivity we require to screen tumor samples.

We now have 29 matched samples of fixed, paraffin-embedded breast cancer specimens. Each of these tumors is matched with normal tissue from the same patient. We now isolate DNA from these samples by adding 1mL of xylene to each 20 micron section to de-paraffinize the sample and washing with 100% ethanol. The sample is then resuspended in 100ul K buffer (50 mM KCl, 10mM tris-HCl, 2.5mM MgC12, 100ug/mL gelatin, 0.45% IGEPAL, 0.45% Tween 20, 6ug proteinase K) and incubated at 55 degrees Celsius overnight. Proteinase K digestion is followed by multiple phenol:chloroform extractions. Since matched normal tissues will be largely composed of adipose tissue and contain fewer cells than tumor tissue, we shall employ realtime quantitative PCR in order to measure the amount of DNA recovered from each sample. A standardized amount of DNA (dependent on recovery) will be used as template for the multiplex PCR described previously.

Key Research Accomplishments

- Development of spotted slide arrays containing Epstein-Barr Virus DNA as a novel method to detect viral DNA in tumor samples
- Application of multiplex PCR for amplification of viral targets and the ability to label these products with Cy3
- Based on work supported by this grant we applied for and received NCI funding to continue to screen breast cancers and other human cancers for the presence of EBV as well as other human tumor viruses.

Reportable Outcomes

On the basis of the work funded by this grant, we participated in an NCI grant application, which was subsequently funded and will support the development of technology to detect novel virus/tumor associations.

Conclusions

Our development of detecting EBV target DNAs through a combination of multiplex PCR to prepare a complex target composed of nine regions of EBV DNA and their detection with DNA probes printed on glass microarrays has provided a sensitive, facile means to detect specific DNAs in fixed tumor samples. We have also mastered the efficient isolation of DNA from 20 micron sections of fixed tumor samples. We have established a collaboration with Dr. Andreas Friedl of the Department of Pathology and Laboratory Medicine who is reading sections adjacent to those from which we extract DNA to estimate the fraction of tumor cells present in the samples we analyze. We are now screening these samples for the presence of EBV DNA. If we fail to detect EBV DNA in these tumor samples, we shall extend our screen to include other known human tumor viruses. Our glass microarrays can accommodate at least 4000 spots so that we shall be able to add probes from multiple regions of all known human DNA tumor viruses to our arrays to screen for any of them that may be associated with breast cancer.

References

None.

Appendices

None.

Personnel Receiving Pay from the Research Effort

Jacqueline G. Perrigoue, Associate Research Specialist